


NOTES

1. Dimensions are in meters (e.g. 12.09m), millimeters (e.g. 600 x 600) and feet and inches (e.g. 1'-2").
2. Do not scale from this drawing. Use figured dimensions only. Refer to Bills of Quantities where necessary.
3. Provide Cleanouts every 30 ft of continuous pipe run and at the start of pipe runs.
4. Rainwater lines to be buried minimum 1 ft below finished surface.

LEGEND

- 3 INCH PVC DOWN PIPE WITH ADAPTOR FITTINGS (AS APPLICABLE)
- 6 INCH PVC RAINWATER MAIN LINE
- TYPE A C/PIT
- WALKS
- RAMPED WALK
- APRON WITH GRANOLITHIC TOPPING
- GRANOLITHIC TOPPING ONLY
- BOX DRAIN



REFERENCE DRAWINGS

No.	DATE	AMENDMENTS	INIT.
CLIENT : DIVISION OF INFRASTRUCTURE QUARRIES AND THE ENVIRONMENT			
JOB TITLE : ADVENTURE RECREATIONAL PARK DEVELOPMENT			
DWG. TITLE : LAYOUT OF WORKS-SHEET 1B			DWG. #:
JOB No.	MADE	CHECKED	
SCALE: AS SHOWN	DRAWN	APPROVED	